

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020122194".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 11:40
S2	1	"20020122194".pn. and shoot\$5 with space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 11:42
S3	1	"620688".ap. and ton\$5 with person	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 11:44
S4	2	"20030176281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 11:51
S5	1	("2003/0176281").URPN.	USPAT	OR	ON	2009/06/22 11:52
S6	44	(tone or tonality) same ((conver\$5 or transform \$5) with (xrgb or ((large or wid\$3 or extend\$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 11:53
S7	10	S6 and (tone or tonality) same (person or people or face or facial or skin or skin\$5tone or portrait)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 11:54
S8	44	(tone or tonality) same ((conver\$5 or transform\$5 or ((output\$5 or final or destination or second) adj5 space)) with (xrgb or ((large or wid\$3 or extend \$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:00

S9	2	((person or people or face or facial or skin or skin \$5tone or portrait) with (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output\$5 or final or destination or second) adj5 space)) with (xrgb or ((large or wid\$3 or extend\$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:01
S10	728	((person or people or face or facial or skin or skin \$5tone or portrait) with (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output\$5 or final or destination or second) adj5 space)) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:02
S11	2	S10 and ((person or people or face or facial or skin or skin\$5tone or portrait) with (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output \$5 or final or destination or second) adj5 space)) with (xrgb or ((large or wid \$3 or extend\$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:03
S12	5	S10 and ( (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output \$5 or final or destination or second) adj5 space)) with (xrgb or ((large or wid \$3 or extend\$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:03

S13	1345	((person or people or face or facial or skin or skin \$tone or portrait or flesh or human) with (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output \$5 or final or destination or second) adj5 space)) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:06
S14	11	S13 and ( (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output \$5 or final or destination or second) adj5 space)) with (xrgb or ((large or wid \$3 or extend\$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:09
S15	63	S13 and ( (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output \$5 or final or destination or second) adj5 space)) with (ntsc or xrgb or ((large or wid\$3 or extend \$5) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:12
S16	10	S15 and ((detect\$5 or determin\$5 or judg\$5 or discriminat\$5) near3 (person or people or face or facial or skin or skin \$tone or portrait or flesh or human) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:14
S17	147	((detect\$5 or determin\$5 or judg\$5 or discriminat \$5) near3 (person or people or face or facial or skin or skin\$tone or portrait or flesh or human) with (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or ((output\$5 or final or destination or second) adj5 space)) with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:21

		(rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5 or first or second) near3 (rgb or (r near3 g))) or wrgb))				
S18	82	((detect\$5 or determin\$5 or judg\$5 or discriminat\$5) near3 (person or people or face or facial or skin or skin\$5tone or portrait or flesh or human) with (image or pixel or picture or data or frame)) same ((color adj3 space) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5 or first or second) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:22
S19	1	S18 and ((detect\$5 or determin\$5 or judg\$5 or discriminat\$5) near3 (background or sky or peripheral or surround\$5) with (image or pixel or picture or data or frame)) same ((color adj3 space) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5 or first or second) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 12:23
S20	300	((detect\$5 or determin\$5 or judg\$5 or discriminat\$5) with (image or pixel or picture or data or frame)) same ((ycbcr ycrCb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5 or first or second) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 11:30

S21	14	S20 and ((detect\$5 or determin\$5 or judg\$5 or discriminat\$5) with (image or pixel or picture or data or frame)) same ((ycbcr ycrb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (xrgb or ((large or wid\$3 or extend\$5 or second) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 11:31
S22	301	((detect\$5 or determin\$5 or judg\$5 or discriminat\$5) with (tag or header or image or pixel or picture or data or frame)) same ((ycbcr ycrb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5 or first or second) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 11:53
S23	2601	((tag or header or image or pixel or picture or data or frame)) same ((ycbcr ycrb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5 or first or second) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 11:53
S24	2601	((tag or header or image or pixel or picture or data or frame)) same ((ycbcr ycrb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (rgb or (r near3 g near3 b) or xrgb or ((large or wid\$3 or extend\$5 or first or second) near3 (rgb or (r near3 g))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 12:49

S25	86	S24 and ((image or pixel or picture or data or frame)) same ((ycbcr ycrCb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (xrgb or ((large or wid \$3 or extend\$5 or second or ntsc) near3 (rgb or (r near3 g))) or wrGb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 12:49
S26	1	"6147772".pn. and ("230" same "330")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 13:48
S27	1	"6147772".pn. and ("230" same (conver\$6 or transform\$5) same "330")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 13:49
S28	64	( (tag or header or image or pixel or picture or data or frame)) same ((ycbcr ycrCb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (xrgb or ((large or wid \$3 or extend\$5 or romm or ntsc or adobe) near3 (rgb or (r near3 g near3 b))) or wrGb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:00
S29	35	S28 and ( (tag or header or image or pixel or picture or data or frame)) same ((ycbcr ycrCb or ycc or sycc or (y near3 cb near3 cr)) with (conver\$5 or transform\$5) with (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:02
S30	6	S29 and ((tone or tonal\$5) with (emphas\$6 or correct \$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:17

S31	2	"20020145744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:34
S32	6	S29 and ((tone or tonal\$5) with (restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:36
S33	6	S28 and ((tone or tonal\$5) with (restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:46
S34	239	((tone or tonal\$5) with (restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:47
S35	20	((tone or tonal\$5) with (restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same ((conver\$5 or transform\$5) near4 (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:47
S36	14	S35 and ((tone or tonal\$5) same (person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:50

S37	3	S36 and ((conver\$5 or transform\$5) with (xrgb or ((large or wid\$3 or extend\$5 or romm or ntsc or adobe) near3 (rgb or (r near3 g near3 b))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:51
S38	3	S36 and ((xrgb or ((large or wid\$3 or extend\$5 or romm or ntsc or adobe) near3 (rgb or (r near3 g near3 b))) or wrgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 14:54
S39	0	((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) near3 (stress\$3 or weight or restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same ((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) near4 (pixel or image or data or picture)) same ((conver\$5 or transform\$5) near4 (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 15:03
S40	0	((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) near3 (mode or stress\$3 or weight or restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same ((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) near4 (pixel or image or data or picture)) same ((conver\$5 or transform\$5) near4 (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 15:03



S41	1	((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) near3 (mode or stress\$3 or weight or restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same ((pixel or image or data or picture)) same ((conver\$5 or transform\$5) near4 (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 15:04
S42	1	((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) near3 (mode or stress\$3 or weight or restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same ((pixel or image or data or picture)) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) near4 (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 15:04
S43	1	((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) near3 (mode or stress\$3 or weight or restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same ((pixel or image or data or picture)) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) near4 (srgb or ((standard\$4 or iso or small\$3 or narrow\$3) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 15:05

S44	18	((person or flesh or skin or skin\$3ton\$5 or portrait or face or facial or nose or ear or eye or hair) same (mode or stress\$3 or weight or restor\$5 or emphas\$6 or correct\$5 or compensat\$5 or preserv\$5 or maintain\$5 or keep\$3)) same ((pixel or image or data or picture)) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) near4 (srgb or ((standard\$4 or iso or small\$3 or narrow\$3) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/23 15:05
S45	2665	((input\$5 or memory or storage or stored or storing) with (yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))) same ((conver\$5 or transform\$5) near5 (yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:30
S46	0	S45 and (((first or second) near3 (mode or setting)) same ((conver\$5 or transform\$5) near5 (yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))) near5 ((xrgb or ((large or wid\$3 or extend\$5 or romm or ntsc or adobe) near3 (rgb or (r near3 g near3 b))) or wrgb))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:31
S47	2	S45 and (((first or second)) same ((conver\$5 or transform\$5) near5 (yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))) near5 ((xrgb or ((large or wid\$3 or extend\$5 or romm or ntsc or adobe) near3 (rgb or (r near3 g near3 b))) or wrgb))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:32

S48	2895	((input\$5 or memory or storage or stored or storing) with ((color adj2 space) or rgb or yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))) same ((conver\$5 or transform\$5) near5 (yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:34
S49	1	S48 and (((first or second) near3 (mode or setting)) same ((conver\$5 or transform\$5) near5 ((color adj2 space) or rgb or yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))) near5 ((xrgb or ((large or wid\$3 or extend\$5 or romm or ntsc or adobe) near3 (rgb or (r near3 g near3 b)))) or wrgb))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:35
S50	15	S48 and (((first or second or detect\$5)) same ((conver\$5 or transform\$5) near5 ((color adj2 space) or rgb or yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))) near5 ((xrgb or ((large or wid\$3 or extend\$5 or romm or ntsc or adobe) near3 (rgb or (r near3 g near3 b)))) or wrgb))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:36
S51	12	S50 and (((first or second or detect\$5)) same ((conver\$5 or transform\$5) near5 ((color adj2 space) or rgb or yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))) near5 ((srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:37

S52	190	(person or people or face or facial or skin or skin \$5tone or flesh or flesh \$3color\$3 or flesh\$3tone) same (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:55
S53	46	(person or people or face or facial or skin or skin \$5tone or flesh or flesh \$3color\$3 or flesh\$3tone) with (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:55
S54	26	( face or facial or skin or skin\$5tone or flesh or flesh \$3color\$3 or flesh\$3tone) with (srgb or ((standard\$4 or iso or small or narrow) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 10:56
S55	27	(person or people or face or facial or skin or skin \$5tone or flesh or flesh \$3color\$3 or flesh\$3tone) with (srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:29
S56	44	(human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh\$3tone) with (srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) and ((pixel or image or picture) near4 (human or person or people or face or facial or skin or skin \$5tone or flesh or flesh \$3color\$3 or flesh\$3tone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:30
S57	1	"20040208363".pn. and srgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:57

S58	1	"20040208363".pn. and flesh with space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:57
S59	1	"20040208363".pn. and (skin or flesh) with space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:58
S60	1	"20040208363".pn. and space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:58
S61	0	"20040208363".pn. and wrgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:58
S62	0	"20040208363".pn. and rgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 11:58
S63	19	(human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) with (((standard\$4 or iso or small or narrow) adj3 (gamut or color \$3space or space))) and ((srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) same (((standard\$4 or iso or small or narrow) adj3 (gamut or color\$3space or space))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 12:02
S64	10	(human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) with (((standard\$4 or iso or small\$3 or narrow \$3) adj3 (gamut or range))) and ((srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) same (((standard\$4 or iso or small\$3 or narrow\$3) adj3 (gamut or range))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 12:04

S65	19	(human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) with (((standard\$4 or iso or small\$3 or narrow \$3) near3 (gamut or range))) and ((srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) same (((standard\$4 or iso or small\$3 or narrow\$3) near3 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 12:05
S66	466	(human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) and camera and (ycbcr or ycrb or yuv or ycc or (y near3 cr near3 cb)) and (srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:39
S67	39	((human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) near3 (mode or option or setting or set)) and camera and (ycbcr or ycrb or yuv or ycc or (y near3 cr near3 cb)) and (srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:39
S68	1	((human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) near3 (mode or option or setting or set)) same (srgb or ((standard \$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) and camera and (ycbcr or ycrb or yuv or ycc or (y near3 cr near3 cb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:48

S69	1	((scen\$5 or outdoor or oustide) near3 (mode or option or setting or set)) same (srgb or ((standard \$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) and camera and (ycbcr or ycrCb or yuv or ycc or (y near3 cr near3 cb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:50
S70	279	(( (mode or option or setting or set)) same (srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) and camera and (ycbcr or ycrCb or yuv or ycc or (y near3 cr near3 cb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:51
S71	14	(( (select\$5 or chosen or choos\$5 or designat\$5) near4 (mode or option or setting or set)) same (srgb or ((standard\$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))) and camera and (ycbcr or ycrCb or yuv or ycc or (y near3 cr near3 cb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:51
S72	201	(( (select\$5 or chosen or choos\$5 or designat\$5) near4 (mode or option or setting or set)) and ((mode or option or setting or set) same (srgb or ((standard \$4 or iso or small or narrow) adj3 (rgb or (r near3 g near3 b)))))) and camera and (ycbcr or ycrCb or yuv or ycc or (y near3 cr near3 cb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:53
S73	5	S72 and ((human or person or people or face or facial or skin or skin \$5tone or flesh or flesh \$3color\$3 or flesh\$3tone) near3 (mode or option or setting or set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:53

S74	0	"6147772".pn. and ((human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) near3 (mode or option or setting or set))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:14
S75	1	"6147772".pn. and ((human or person or people or face or facial or skin or skin\$5tone or flesh or flesh\$3color\$3 or flesh \$3tone) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:15
S76	2	"20060176281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:19
S77	2	"20030176281".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:19
S78	1	"20030176281".pn. and flesh\$8 same (red near5 cyan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:22
S79	2	"20020122194".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:29
S80	1	"20020122194".pn. and space with shoot\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:59
S81	1	"20020122194".pn. and type adj3 camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:02
S82	2538	382/115,118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:17
S83	116	S82 and (color adj3 (conver\$5 or transform \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:17
S84	0	S82 and (color adj3 (conver\$5 or transform \$5)) same srgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:17



S85	37	S82 and (color adj3 (conver\$5 or transform \$5)) same rgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:18
S86	3	S82 and (color adj3 (conver\$5 or transform \$5)) same rgb same (gamut or wider or wide or extended or narrow\$3 or range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:18
S87	1	"6611613".pn. and rgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:19
S88	38	S82 and (color adj3 (conver\$5 or transform \$5)) same (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:21
S89	12	S82 and (color adj3 (conver\$5 or transform \$5)) same ((detect\$5 or determin\$6 or discriminat \$5)) same (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:21
S90	65834	"396".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:31
S91	57	(S82 or S90) and (color adj3 (conver\$5 or transform\$5)) same ((detect\$5 or determin\$6 or discriminat\$5)) same (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:31

S93	12	S82 and (color adj3 (conver\$5 or transform \$5)) same ((mode or detect\$5 or determin\$6 or discriminat\$5)) same (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:02
S94	55	S82 and ( (conver\$5 or transform\$5)) same ((mode or detect\$5 or determin\$6 or discriminat \$5)) same (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:02
S95	208	((conver\$5 or transform \$5) with ((wider or wide or extended or larger or large) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:18
S96	23	S95 and ((conver\$5 or transform\$5) with ((narrow \$3 or small\$3 or limit\$3) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:20
S97	15	S96 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:20
S98	78	((conver\$5 or transform \$5) with ((wider or wide or extended or larger or large) near3 (rgb or (r near3 g near3 b)))) same (gamut or range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:23
S99	6	S98 and ((conver\$5 or transform\$5) with ((narrow \$3 or small\$3 or limit\$3) near3 (rgb or (r near3 g near3 b)))) same (gamut or range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:24
S100	2545	382/115,118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:04

S101	33	S100 and (color adj3 (conver\$5 or transform \$5)) with (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:04
S102	33	S101 and (color adj3 (conver\$5 or transform \$5)) with (ntsc or xrgb or x-rgb or s-rgb or srgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:07
S103	8	S101 and (color adj3 (conver\$5 or transform \$5)) with (yuv or ycbcr ycrb or ycc or sycc or (y near3 (u or cb) near3 (v or cr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:08
S104	68	(takashi near3 hanamoto). in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:14
S105	2	S104 and (color adj3 (conver\$5 or transform \$5)) with (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:14
S106	1	S104 and (person with mode) with (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:16
S107	2	S104 and (person with mode) same (ntsc or xrgb or x-rgb or s-rgb or rgb or ((wider or wide or extended or narrow\$3 or range) near3 (rgb or (r near3 g near3 b))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:17
S108	2	"20020145744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 09:18

S109	3	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) with (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with ((narrow \$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 10:41
S110	6	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) same (image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with ((narrow \$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 10:46
S111	6	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) same (mode or image or pixel or picture or data or frame)) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with ((narrow\$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 10:47
S112	6	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with ((narrow \$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 10:47

S113	15	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with ((narrow \$3 or small\$5 or reduced or limited or larg\$3 or big or extend\$5 or wider or wide or bigger) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 10:47
S114	35	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same1 ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with ((narrow\$3 or small\$5 or reduced or limited or larg\$3 or big or extend\$5 or wider or wide or bigger) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 10:53
S115	6	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with ((compress\$5) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 10:55
S116	29	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((display\$5) with ((narrow \$3 or small\$5 or reduced or limited or larg\$3 or big or extend\$5 or wider or wide or bigger) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:00
S117	13	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((display\$5) with ((narrow \$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:01

S118	4	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((output\$5) with ((narrow \$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:03
S119	22	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) with srgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:06
S120	40	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5 or using or use or used or map\$5) with ((narrow\$3 or small\$5 or reduced or limited or larg \$3 or big or extend\$5 or wider or wide or bigger) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:21
S121	0	((emphasi\$6 or enhanc\$6 or sharpen\$5) with (flesh or flesh\$3tone or person or people or face or facial or skin or skin\$5tone or portrait) ) same (((narrow \$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:28
S122	13	((emphasi\$6 or enhanc\$6 or sharpen\$5) with (tone or flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same (((narrow\$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:29
S123	0	((emphasi\$6 or enhanc\$6 or sharpen\$5 or improv\$5 or smooth\$5) with (flesh or flesh\$3tone or person or people or face or facial or skin or skin\$5tone or portrait) ) same (((narrow \$3 or small\$5 or reduced or limited) near3 (gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:30

S124	16	((emphasi\$6 or enhanc\$6 or sharpen\$5 or improv\$5 or smooth\$5) with (flesh or flesh\$3tone or person or people or face or facial or skin or skin\$5tone or portrait) ) same (srgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:31
S125	16	((emphasi\$6 or enhanc\$6 or sharpen\$5 or improv\$5 or smooth\$5) with (flesh or flesh\$3tone or person or people or face or facial or skin or skin\$5tone or portrait) ) same (((narrow \$3 or small\$5 or reduced or limited) near3 (rgb or (r near3 g near3 b)))) or srgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:33
S126	0	((emphasi\$6 or enhanc\$6 or sharpen\$5 or improv\$5 or smooth\$5) with (flesh or flesh\$3tone or person or people or face or facial or skin or skin\$5tone or portrait) ) same ((rg or gr) with (space or colorspace or color-space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:34
S127	35	((emphasi\$6 or enhanc\$6 or sharpen\$5 or improv\$5 or smooth\$5) with (flesh or flesh\$3tone or person or people or face or facial or skin or skin\$5tone or portrait) ) same ((rg or gr) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:34
S128	311	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same1 ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with (rg or gr or r-g or g-r))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:36
S129	174	((flesh or flesh\$3tone or person or people or face or facial or skin or skin \$5tone or portrait) ) same ((conver\$5 or transform\$5 or select\$5 or choos\$5 or designat\$5) with (rg or gr or r-g or g-r))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:36

S130	6	S129 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:37
S131	15	S129 and "382".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 11:43
S132	45	(digital adj3 camera) same (scen\$3 near3 mode) same ((person or face or facial) near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 12:18
S133	1	S132 and ((person or face or facial) near3 mode) same (rgb or srgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 12:18
S134	1	S132 and ((person or face or facial) near3 mode) same ((r near3 g near3 b) or rgb or srgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 12:19
S135	3	S132 and (mode) same ((r near3 g near3 b) or rgb or srgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 12:21
S136	2	"20020122194".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 13:31
S137	2	"6148092".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 13:45
S138	0	"6148092".pn. and gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 13:47
S139	1	"6148092".pn. and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 13:47
S140	2	"7274400".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 13:58
S141	1	"7274400".pn. and determin\$5 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 13:58



S142	1	"7274400".pn. and determin\$5 with mode with person	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 13:59
S143	0	"7274400".pn. and flash with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 14:10
S144	1	"7274400".pn. and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 14:10
S145	1	"7274400".pn. and "46"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 14:11
S146	2	"6975437".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/02 14:15

7/2/09 2:56:21 PM

C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10620688.062209.wsp